PakinPap' range

BAGGING MACHINES
FOR PAPER
PP H600

Stand-mounted or wall-mounted



PP H600 B-P
on stand,
pneumatic closure

Uses

- Laundry
- Dry cleaner
- Garment manufacturing
- Hotel trade

Compatible with paper roll width 600 or 630 mm.
More information on page 3.

- ✓ Machine specially designed to work with **PakinPap'** paper consumables, equipped with 2 sealing strips and 2 cutting blades.
- ✓ Reinforced structure, great for intensive use.
- ✓ Creation of a cover to fit the garment, with welding and cut to the shape of the shoulders (optional kit).
- ✓ Space-saving wall-mounted or stand-mounted.
- ✓ Stand option + wheels option to move the machine easily.
- ✓ Pneumatic closure (optional) to facilitate work (reduces the risk of MSD[1]).

[1] *MusculoSkeletal Disorders*

584 route de Saint Bernard - 01600 Trévoux (France)
+33 (0)4 74 00 59 54
export@o-r-a.eu
www.o-r-a.eu

Follow us on the networks !

PakinPap' range

TECHNICAL DATA


	MODELS		Type of cover	KG	
ON WALL	PP H600 M	80 x 20 x 60 cm	1	33 kg	
	PP H600 M-P			40 kg	6 bars (min)
	PP H600 MX		2	33 kg	
	PP H600 M-PX			40 kg	6 bars (min)
ON STAND	PP H600 B	85,2 x 70 x 208 cm	1	73 kg	
	PP H600 B-P			80 kg	6 bars (min)
	PP H600 BX		2	73 kg	
	PP H600 B-PX			80 kg	6 bars (min)

600 or 630 mm (max)

55 W

230 V - 50/60 Hz


AVAILABLE GARMENT COVER SHAPES



Shoulder-shaped cut at the top and bottom.

2 blades inclined at 10°

No cutting waste



Cutting waste generated between two covers

Shoulder-shaped cut at the top.

Straight cut at the bottom of the cover.

2 straight blades
+ 2 blades inclined at 10°

EQUIPMENT


	ON WALL				ON STAND			
DESCRIPTION	H600 M	H600 M-P	H600 MX	H600 M-PX	H600 B	H600 B-P	H600 BX	H600 B-PX
Control (M = manual / PT = pneumatic timer)	M	PT	M	PT	M	PT	M	PT
Integrated roll holder	✓	✓	✓	✓	✓	✓	✓	✓
Stand with 1 integrated roll holder	option	option	option	option	✓	✓	✓	✓
Additional roll holder for stand	✗	✗	✗	✗	option	option	option	option
4 wheels (2 with brakes) for stand	✗	✗	✗	✗	option	option	option	option
Straight cut at the bottom of the cover	option	option	✓	✓	option	option	✓	✓


584 route de Saint Bernard - 01600 Trévoux (France)
+33 (0)4 74 00 59 54
export@o-r-a.eu
www.o-r-a.eu

Follow us on the networks !

PakinPap' range

FOCUS ON PAPERS CHARACTERISTICS





PakinPap' papers have been specially developed for use in dry cleaners and laundries.

Their porosity allows moisture resulting from laundry care **to escape**, and they are **sufficiently translucent to identify the wrapped laundry** and read any labels inside the package.

www.pakinpap.com

TUBULAR sleeve

Specifications	STANDARD FOR ECONOMICAL DAILY USE		PREMIUM FOR SUPERIOR STRENGHT AND FINISH		TRANSLUSEAL TO SHOWCASE YOUR PRODUCT	
Roll type	2 closed sides		2 closed sides		2 closed sides	
Roll width	600 mm	630 mm	600 mm	630 mm	600 mm	630 mm
External roll diameter	200 mm		200 mm		200 mm	
Coated paper weight	20 gr/m² (18 paper +2 heat sealant)		25 gr/m² (23 paper +2 heat sealant)		23,5 gr/m² (21,5 paper +2 heat sealant)	
Paper type	White kraft		Breathable		Breathable + translucent	
Translucency level	+		+		++	
Heat sealant	Coating of natural glue and wax on the inner surface					
Roll total weight	8 kg	8,4 kg	6,6 kg	6,9 kg	7,4 kg	7,8 kg
Mandrel weight	0,3 kg	0,32 kg	0,3 kg	0,32 kg	0,3 kg	0,32 kg
Roll net weight	7,7 kg	8,08 kg	6,3 kg	6,58 kg	7,1 kg	7,48 kg
Linear metres / roll	320 (ml)		210 (ml)		260 (ml)	
Item	ARPXX1-6020ST	ARPXX1-6320ST	ARPXX1-6020PR	ARPXX1-6320PR	ARPXX1-6020TR	ARPXX1-6320TR